

**BEST AVAILABLE COPY** RECEIVED  
CENTRAL FAX CENTER  
SEP 01 2006

Serial No.: 09/973,610  
Art Unit: 2623  
Page 2

***AMENDMENTS TO THE CLAIMS***

Please amend the claims as indicated hereafter (where underlining “\_” denotes additions and strikethrough “-” denotes deletions).

***Claims:***

1. (Currently Amended) A method in a subscriber television system (STS), the method comprising the steps of:
  - providing a plurality of media content instances to be displayed to a subscriber;
  - providing at least one trigger synchronized with a first media content instance of the plurality of media content instances; and
  - enabling at least one ~~particularly exclusive~~ content restriction responsive to a reception of the at least one trigger, the content restriction enabling display of all the content except for particular media content of the plurality of media content.
2. (Canceled)
3. (Canceled)
4. (Previously Presented) The method of claim 1, wherein the at least one content restriction requires a particular second media content instance of the plurality of media content instances to be excluded from display for a time period.
5. (Previously Presented) The method of claim 4, wherein the time period is equal to the length of the display of the first media content instance of the plurality of media content instances, and wherein the particular second media content instance of the plurality of media content instances is excluded from display during the display of the first media content instance of the plurality of media content instances.

Serial No.: 09/973,610

Art Unit: 2623

Page 3

6. (Currently Amended) The method of claim 1, further comprising the steps of:
- implementing the at least one content restriction to be a hierarchy of at least one particular inclusive content restriction and at least one particular exclusive content restriction;
  - enabling the at least one particular inclusive content restriction to require the display, if available, of a second particular media content instance of the plurality of media content instances designated by the at least one particular inclusive content restriction; and
  - enabling the at least one ~~particular-exclusive~~ content restriction if the particular second media content instance of the plurality of media content instances is not available, the at least one ~~particular exclusive~~-content restriction allowing the display of any of the plurality of media content instances not particularly excluded by the particular exclusive content restriction.
7. (Original) The method of claim 1, wherein the at least one trigger includes the at least one content restriction.
8. (Original) The method of claim 1, wherein the at least one trigger comprises information indicating the location of at least one media content instance needed to satisfy the at least one content restriction.
9. (Original) The method of claim 1, wherein the at least one trigger comprises at least one media content instance needed to satisfy the at least one content restriction.
10. (Currently Amended) A method in a subscriber television system (STS), the method comprising the steps of:

Serial No.: 09/973,610

Art Unit: 2623

Page 4

providing a plurality of media content instances to be displayed to a subscriber by a client device;

providing at least one trigger synchronized with a first media content instance of the plurality of media content instances, the at least one trigger comprising at least one unique identifier;

enabling at least one content control module in the client device, the at least one content control module comprising a database of a plurality of values for a plurality of the at least one unique identifier, the plurality of values being individually matched with a corresponding content restriction, the content restriction enabling display of all the content except for particular media content of the plurality of media content;

receiving the at least one trigger at the client device;

interpreting a value of the at least one trigger by the content control module; and

enabling the content control module to reference the database with the value and determine at least one enabled particularly-exclusive content restriction.

11. (Original) The method of claim 10, wherein the client device displays a screen display comprising an application interface, an advertisement banner, and a video stream, the video stream displaying a first media content instance of the plurality of media content instances, the first media content instance of the plurality of media content instances being a commercial.

12. (Currently Amended) The method of claim 11, wherein the ~~enabled particularly exclusive~~ content restriction excludes the display of a second media content instance of the plurality of media content instances in the advertisement banner.

Serial No.: 09/973,610

Art Unit: 2623

Page 5

13. (Previously Presented) The method of claim 12, wherein the second media content instance of the plurality of media content instances is associated with a competitor funding entity of the commercial.

14. (Currently Amended) The method of claim 11, wherein the enabled ~~particularly exclusive~~ content restriction allows the display of any of the plurality of media content instances in the advertisement banner not excluded by the ~~particularly exclusive~~ content restriction.

15. (Currently Amended) The method of claim 14, wherein at least one of the plurality of media content instances excluded by the ~~exclusive~~ content restriction is media content associated with a competitor of a funding entity of the commercial.

16. (Original) The method of claim 11, wherein the enabled content restriction is an inclusive/exclusive combination content restriction, and wherein the inclusive/exclusive combination content restriction requires the display of a second media content instance of the plurality of media content instances in the advertisement banner if available, the second media content instance of the plurality of media content instances being associated with a funding entity of the commercial, if the second of the media content is not available, then the inclusive/exclusive combination content restriction requires the display of a third of the plurality of media content instances in the advertisement banner, the third of the plurality of media content instances being any media content not associated with a competitor of a funding entity of the commercial.

17. (Currently Amended) A method in a subscriber television system (STS), the method comprising the steps of:

inserting, within an available insertion area in at least one transport stream,  
at least one trigger having at least one ~~particularly exclusive~~  
content restriction, the content restriction enabling the display all

Serial No.: 09/973,610

Art Unit: 2623

Page 6

the content except for particular media content of the plurality of media content; and

distributing the at least one transport stream with the at least one trigger to a plurality of client devices.

18. (Currently Amended) The method of claim 17, wherein the at least one ~~particularly exclusive~~ content restriction excludes the insertion of at least one designated media content instance, and wherein the designated media content instance is excluded from the available insertion area in the at least one transport stream.

19. (Original) The method of claim 18, wherein the at least one designated media content instance is a local commercial.

20. (Original) The method of claim 17, wherein the at least one content restriction is an exclusive content restriction requiring the exclusion of at least one designated media content instance.

Serial No.: 09/973,610

Art Unit: 2623

Page 7

21. (Currently Amended) A method in a subscriber television system (STS), the method comprising the steps of:

providing a plurality of media content instances to be displayed to a subscriber, a first media content instance of the plurality of media content instances being a video stream and a second media content instance of the plurality of media content instances being a particular advertisement;

providing at least one trigger synchronized with a priority event in the video stream; and

~~excluding~~ enabling display of all media content instances except the particular advertisement from being displayed simultaneously with the priority event in the video stream.

22. (Original) The method of claim 21, wherein the advertisement is selectable by the subscriber.

23. (Original) The method of claim 21, wherein the advertisement is an image of a scene item, and wherein the priority event is a scene displayed in the video stream where the scene item is represented.

Serial No.: 09/973,610

Art Unit: 2623

Page 8

24. (Currently Amended) A system in a subscriber television system (STS), the system comprising:

- a memory for storing logic;
- a processor for executing the logic stored in memory;
- logic configured to provide a plurality of media content instances to be displayed to a subscriber;
- logic configured to provide at least one trigger synchronized with a first media content instance of the plurality of media content instances;
- and
- logic configured to enable at least one ~~particularly exclusive~~ content restriction responsive to a reception of the at least one trigger, the content restriction enabling display of all the content except for particular media content of the plurality of media content.

25. (Original) The system of claim 24, wherein the least one content restriction requires a second media content instance of the plurality of media content instances to be displayed for a time period.

26. (Previously Presented) The system of claim 25, wherein the time period is equal to the length of the display of the first media content instance of the plurality of media content instances, and wherein the second media content instance of the plurality of media content instances is excluded simultaneously with the first media content instance of the plurality of media content instances.

27. (Original) The system of claim 24, wherein the least one content restriction requires a second media content instance of the plurality of media content instances to be excluded from display for a time period.

Serial No.: 09/973,610

Art Unit: 2623

Page 9

28. (Original) The system of claim 27, wherein the time period is equal to the length of the display of the first media content instance of the plurality of media content instances, and wherein the second media content instance of the plurality of media content instances is excluded from display during the display of the first media content instance of the plurality of media content instances.

29. (Original) The system of claim 24, wherein the trigger comprises the at least one content restriction.

30. (Original) The system of claim 24, wherein the trigger comprises at least one media content needed to satisfy the at least one content restriction.

31. (Currently Amended) A system in a subscriber television system (STS) client device, the system comprising:

a memory for storing logic in the STS client device;

a processor for executing the logic stored in memory in the STS client device;

logic configured to provide a plurality of media content instances to be displayed to a subscriber;

logic configured to provide at least one trigger synchronized with a first media content instance of the plurality of media content instances;  
and

logic configured to enable at least one ~~particularly exclusive~~ content restriction responsive to a reception of the at least one trigger, the content restriction enabling display of all the content except for particular media content of the plurality of media content.



Serial No.: 09/973,610

Art Unit: 2623

Page 10

32. (Previously Presented) The system of claim 31, wherein the least one content restriction excludes a second media content instance of the plurality of media content instances from being displayed for a time period.

33. (Previously Presented) The system of claim 32, wherein the time period is equal to the length of the display of the first media content instance of the plurality of media content instances, and wherein the second media content instance of the plurality of media content instances is excluded simultaneously with the first media content instance of the plurality of media content instances.

34. (Currently Amended) A system in a subscriber television system (STS) headend device, the system comprising:

- a memory for storing logic in the STS headend device;
- a processor for executing the logic stored in memory in the STS headend device;
- logic configured to provide a plurality of media content instances to be displayed to a subscriber;
- logic configured to provide at least one trigger synchronized with a first media content instance of the plurality of media content instances;
- and
- logic configured to enable at least one ~~particularly exclusive~~ content restriction responsive to a reception of the at least one trigger, the content restriction enabling display of all the content except for particular media content of the plurality of media content.

35. (Previously Presented) The system of claim 34, wherein the least one content restriction excludes a second media content instance of the plurality of media content instances to be displayed for a time period.

Serial No.: 09/973,610

Art Unit: 2623

Page 11

36. (Previously Presented) The system of claim 35, wherein the time period is equal to the length of the display of the first media content instance of the plurality of media content instances, and wherein the second media content instance of the plurality of media content instances is excluded simultaneously with the first media content instance of the plurality of media content instances.

37. (Currently Amended) A system in a subscriber television system (STS) headend, the system comprising:

- a memory for storing logic in the STS headend;
- a processor for executing the logic stored in memory in the STS headend;
- logic configured to allow the STS headend to receive and distribute at least one transport stream to a plurality of client devices, the STS headend comprising an administrative content control module; and
- logic configured to enable at least one trigger to be synchronized with an available insertion area in the transport stream, the at least one trigger comprising at least one ~~particularly exclusive~~ content restriction, the content restriction enabling display of all the content except for particular media content of the plurality of media content.

38. (Previously Presented) The system of claim 37, wherein the at least one content restriction excludes the insertion of at least one designated media content, and wherein the administrative content control module allows the insertion of the least one designated media content from the transport stream.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**